

The company AN ARGENT DOO, v. Dolna Banjica, Gostivar, for the implementation of the project "Increase storage capacity by installing a pneumatic transport system and new storage bunkers" announces the following call for submission of offers:

Call No:002-2023

SUBJECT: LOT 1 (A.1.3) "Procurement of Row material siloes with slide valves, bottom screws and Air Lock" and LOT 2 (A.1.4) "Procurement of Sieves, Blower and Bucket elevator Lock" as specified below:

LOT 1

- Row material silo x 4 pieces
 - o Capacity 120m³
 - o Conical Plate : 8 mm
 - o Body Sheets: First 2 layers: 6 mm Other layers: 4 mm
 - o Full-Empty Level Sensor
 - o With Railing and Ladder
 - o St37 Carbon Steel
 - o Cleaning cover
- Slide valve x 4 pieces
 - o Diameter: \varnothing 300 Mechanical arm
 - o Sliding Manual Type
- Raw Material Silo Bottom Screw x 4 pieces
 - o Diameter: \varnothing 273*6 mm
 - o Length: 4 mm
 - o Sheet Thickness: Helical leaves ST52 with at least 8mm
 - o Engine: 7.5 kW with Gearbox
- Air Lock
 - o Rotor: \varnothing 250 mm
 - o Cast Body
 - o Dustproof Vulkollan Tire

LOT 2

- Alger Sieve (4 desk) x 1 piece
 - o Diameter : \varnothing 2600 mm
 - o Number of Sieve Deck: 4
 - o Screening Area: 5.46 m²/floor
 - o Sieve Body : ST37
 - o Whisk Balls : 30 mm Polyurethane Ball
 - o Engine: 5.5 kW 900 rpm
 - o Dust Tightness : 100%
 - o Sieve Wire: 304L Stainless
 - o Screen Changing Mechanism: Pneumatic

- Bearings : SKF (or similar quality)
- Elimination Rate: 98%
- Pneumatic Piston Floor Lifting System
- Feed 0-6mm, Sieve 0-200-800-1200-4000 micron
- Blower x 1 piece
 - Product to be Transported: Micronized Calcite
 - Total Distance: 120 meters
 - Vertical Length: 20 Meters (7 Elbows)
 - Capacity: 10 Tons / Hour
- Bucket Elevator x 1 piece
 - Body Plate: 8 mm ST37
 - Length: 6 mm
 - Bucket Size: 250 mm
 - Band Type
 - Engine: 7.5 kW with Gearbox
- Alger Sieve (4 desk) x 1 piece
 - Diameter : \varnothing 2600 mm
 - Number of Sieve Deck: 4
 - Screening Area: 5.46 m²/floor
 - Sieve Body : ST37
 - Whisk Balls : 30 mm Polyurethane Ball
 - Engine: 5.5 kW 900 rpm
 - Dust Tightness : 100%
 - Sieve Wire: 304L Stainless
 - Screen Changing Mechanism: Pneumatic
 - Bearings : SKF (or similar quality)
 - Elimination Rate: 98%
 - Pneumatic Piston Floor Lifting System
 - Feed 0-6mm, Sieve 0,600-1200-4000 micron

Necessary prerequisites for participation in the call are:

- Producer of the equipment must have at least 5 year experience with this kind of equipment from the day of opening of bids (to be proved with reference from customer to whom was delivered similar equipment)
- Producer of the equipment must have at delivered equipment to at least 3 different countries including their country of origin (to be proved with customer references)
- The bidder must be a VAT-registered company and to have at least 10 employees
- The bidder has no ban issued for performing activity

Criteria for evaluating the most favorable offer:

- Price 80%
- Warranty period 10 %
- Method of payment 5%
- Delivery terms 5%

The call is active for 45 days from the day of its announcement, 5th/October/2023. The deadline for submitting offers is 20th of November, 2023. Until 12:00 p.m.

Offers should be submitted in electronic form to e-mail: a.n.mikrogranulat@gmail.com

Contact phone number: 042 273 796